

## Wire Wound Chip Inductors

#### LPI0805FT Series



## INTRODUCTION

Product: LPI Miniature SMD Inductor For Power Line

Size : 0805

The LPI series are low profile inductor used in notebook, PC, cellular phone backlight, inverter and

etc. The devices are designed smallest possible sizes and highest performance.

#### **FEATURES**


 $\triangleright$  Operating temperature -40 to +85°C for ferrite series.


- Excellent solderability and resistance to soldering heat.
- > Suitable for reflow soldering.
- ➤ High reliability and easy surface mount assembly.
- Wide range of inductance values are available for flexible needs.

## PART NUMBER

LPI 0805 F T 1R0 K -  $\square\square$ 

- 1 Product Type
- 2 Chip Dimension





Size (inch) mm	Length (L) (inch) mm	Width (W) (inch) mm	Thickness (T) (inch) mm	Terminal (S) (inch) mm	L1 (Ref.) mm	W1 (Ref.) mm	(t <sub>1</sub> ) (Ref.) mm
LPI 0805 2012	$(0.080 \pm 0.008)$ $2.00 \pm 0.20$	$(0.050 \pm 0.008)$ $1.25 \pm 0.20$	(0.047 max.) (1.20 max.)	$\begin{array}{c} (0.016 \ \pm \ 0.004) \\ 0.40 \ \pm \ 0.10 \end{array}$	1.20	1.20	0.60

3 Material Type F: Ferrite

4 Inductance Value 1R0 = 1.0uH 100 = 10uH

5 Tolerance  $K = \pm 10\% M = \pm 20\%$ 

6 Internal Code

1



1 Scope

This specification applies to miniature wire wound inductors for power line.

2 Construction

\*Configuration

& Dimension: Please refer to the attached figures and tables.

\*Terminals : Consist of Ag alloy followed by Nickel, then Sn platting for easier


soldering.

3 Operating Temperature Range

Operating Temperature Range is the scope of ambient temperature at which the inductor can be operated continuously at rated current.

\*Temp. Range : Ferrite material :  $-40^{\circ}$ C  $\sim +85^{\circ}$ C

4 Ingredient of terminals electrode



Ferrite Type:

1st Layer : Ag

2<sup>nd</sup> Layer: Nickel (Ni)

3<sup>rd</sup> Layer : Tin (Sn)

5 Characteristics

Standard Atmospheric Conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests are as follows:

Ambient Temperature :  $25^{\circ}C \pm 2^{\circ}C$ 

Relative Humidity : 60% to 70%


Air Pressure : 86Kpa to 106Kpa



Temperature Profile

# 1 Reflow Temperature Profile

(Temperature of the mounted parts surface on the printed circuit board)



Recommended Peak Temperature: 250°C Max

250°C up /within 10secs


Max. Reflow temperature: 260°C

Gradient of temperature rise : av 1-4°C/sec Preheat : 160-190°C/within 90-120secs

220°C up /within 30-60secs

Composition of solder Sn-3Ag-0.5Cu

# 2 Dip Temperature



Solder bathtub temperature: 260°C max


within 5secs.

Preheating temperature: 100~130°C

deposit solder temperature.

Composition of solder Sn-3Ag-0.5Cu

3 Soldering iron tip temperature : 350°C max / within 3 seconds.





AOBA Technology (M) Sdn. Bhd.


Part No.	Inductance <sup>1</sup> (uH)	Tolerance	Q <sup>2</sup> Min	S.R.F. <sup>3</sup> Min (MHz)	RDC <sup>4</sup> Max (Ω)	Isat <sup>5</sup> Max (mA)	IDC <sup>6</sup> Max (mA)	Marking
LPI0805FT 1R0 □-□□	1.0 @ 100KHz	K, M	10 @ 1MHz	400	0.35	800	750	1R0
LPI0805FT 1R2 □-□□	1.2 @ 100KHz	K, M	10 @ 1MHz	350	0.40	750	700	1R2
LPI0805FT 1R5 □-□□	1.5 @ 100KHz	K, M	10 @ 1MHz	300	0.45	720	680	1R5
LPI0805FT 1R8	1.8 @ 100KHz	K, M	10 @ 1MHz	250	0.60	680	650	1R8
LPI0805FT 2R2 □-□□	2.2 @ 100KHz	K, M	10 @ 1MHz	180	0.65	650	630	2R2
LPI0805FT 2R7 □-□□	2.7 @ 100KHz	K, M	10 @ 1MHz	120	0.75	630	600	2R7
LPI0805FT 3R3 □-□□	3.3 @ 100KHz	K, M	10 @ 1MHz	90	0.85	600	570	3R3
LPI0805FT 3R9 □-□□	3.9 @ 100KHz	K, M	10 @ 1MHz	80	0.90	550	500	3R9
LPI0805FT 4R7 □-□□	4.7 @ 100KHz	K, M	10 @ 1MHz	70	1.10	450	430	4R7
LPI0805FT 5R6 □-□□	5.6 @ 100KHz	K, M	10 @ 1MHz	60	1.25	430	400	5R6
LPI0805FT 6R8 □-□□	6.8 @ 100KHz	K, M	10 @ 1MHz	50	1.35	380	360	6R8
LPI0805FT 8R2 □-□□	8.2 @ 100KHz	K, M	10 @ 1MHz	45	1.50	360	340	8R2
LPI0805FT 100 □-□□	10 @ 100KHz	K, M	10 @ 1MHz	40	2.00	340	310	100
LPI0805FT 150	15 @ 100KHz	K, M	10 @ 1MHz	30	2.50	300	180	150
LPI0805FT 180 □-□□	18 @ 100KHz	K, M	10 @ 1MHz	25	2.90	250	170	180
LPI0805FT 220	22 @ 100MHz	K, M	10 @ 1MHz	20	3.20	200	150	220

- 1. Inductance is measured in HP-4284A/4285A RF LCR meter with SMD-A fixture.
- 2. Q is measured in HP-4284A/4285A RF LCR meter with SMD-A fixture.
- 3. SRF is measured in ENA E5071B network analyzer or equivalent.
- 4. RDC is measured in HP-4338B milliohmeter or equivalent.
- 5. Inductance drop 10% from the initial value.
- 6. For 25°C rise.

### Remarks:

 $\overline{\text{Unit weight}} = 0.0084 \text{g (for ref.)}$ 





## - ABO 千如電子集團 ABC ELECTRONICS GROUP.


## LPI0805FT Series

A OBA	Technology	(M) Sdn. Bhd.
-------	------------	---------------


ITEM		CONDITION	SPECIFICATION
	Inductance and	Measuring Frequency:	Within Specified Tolerance
	Tolerance	As shown in Product Table	
	Quality Factor	Measuring Temperature : +25°C	
	Insulation	Measured at 100V DC between	1000 mega ohms minimum
Electrical	Resistance	inductor terminals and center of case.	
Characteristics	Dielectric	Measured at 500V AC between	No damage occurs when
	Withstanding	inductor terminals and center of case	the test voltage is applied.
	Voltage	for a maximum of 1 minute.	
	Temperature	Over -40°C to +85°C at	+25 to 500 ppm/°C
	Coefficient of	frequency specified in Product Table.	$TCL = L1 - L2 \times 10^6 \text{ (ppm /°C)}$
	Inductance (TCL)		L1(T1-T2)
	Component	The component shall be reflow soldered onto a	Minimum 1Kg
	Adhesion	P.C. Board ( $240^{\circ}$ C $\pm$ 5°C for 20 seconds ).	
	(Push Test)	Then a dynometer force gauge shall be applied	
		to any side of the component.	
Mechanical	Drop Test	The inductor shall be dropped two times on the	Change In Inductance:
Characteristics		concrete floor or the vinyl tile from 1M naturally.	No more than 5%
	Thermal Shock	Each cycle shall consist of 30 minutes at -40°C	Change In Q:
	Test	followed by 30 minutes at +85°C with a 5 minutes	No more than 10%
		transition time between temperature extremes.	Change In Appearance:
		Test duration is 10 cycles.	Without distinct damage
	Solderability	Dip pads in flux and dip in solder pot containing	A minimum of 80% of the metalized
		lead free solder at $240^{\circ}$ C $\pm 5^{\circ}$ C for 5 seconds.	area must be covered with solder.
	Resistance to	Dip the components into flux and dip	Change In Inductance:
	Soldering Heat	into solder pot containing lead free solder	No more than 5%
		at $260^{\circ}\text{C} \pm 5^{\circ}\text{C}$ for $5 \pm 2$ seconds.	Change In Q:
	Vibration	Inductors shall be randomly vibrated at amplitude	No more than 10%
	(Random)	of 1.5mm and frequency of 10-55Hz: 0.04G/Hz	Change In Appearance:
		for a minimum of 15 minutes per axis for each of	Without distinct damage
		the three axes.	
	Cold Temperature	Inductors shall be stored at temperature	
	Storage	of $-40^{\circ}$ C $\pm 2^{\circ}$ C for 1000hrs (+48 -0 hrs.)	
		Then inductors shall be subjected to standard	
Endurance		atmospheric conditions for 1 hour.	
Characteristics	III I T	After that, measurement shall be made.	
	High Temperature	Inductors shall be stored at temperature	
	Storage	of 85°C ± 2°C for 1000hrs (+48 -0 hrs.)	
		Then inductors shall be subjected to standard atmospheric conditions for 1 hour.	
		After that, measurement shall be made.	
	Moisture	Inductors shall be stored in the chamber at 45°C	Inductors shall not have a
	Resistance	at 90-95 R.H. for 1000 hours. Then inductors are	shorted or open winding.
		to be tested after 2 hours at room temperature.	The state of the s
	High Temperature	Inductors shall be stored in the chamber at +85°C	
	with Loaded	for 1000 hours with rated current applied.	
		Inductors shall be tested at the beginning of test at	
		500 hours and 1000 hours. Then inductors are to	
1		be tested after 1 hour at room temperature.	




Туре	Pcs/Reel		
LPI0805	2,000		




Туре	Cl Ca	nip vity	Insert Pitch	Tape Thickness		
	A	В	F	K	T	W
LPI0805	1.50	2.35	4.00	1.45	0.28	8.00





#### Top Tape Strength

The top tape requires a peel-off force of 0.2 to 0.7N in the direction of the arrow as illustrated below.



## Dimensions (unit: m/m)

Туре	A	В	C
LPI0805	2.60	0.75	1.40

#### Recommended Pattern

